

May 10, 2017

ADDENDUM NO. 1

**The Restoration of the Louis Nevelson,
Summer Night Tree, A Painted Steel Sculpture**

Prospective Bidders:

Notice is hereby given that the following additional information and changes shall become part of the specifications of the above referenced contract. You are to acknowledge the addenda on the Proposal Sheet.

1. 2.2.5. Alternate Coatings Products
2. 3.4.2 Specified Final Finish Characteristics

Please see attached documents from McKay Lodge regarding alternative coatings products and specified final finish characteristics.

END OF ADDENDUM

ADDENDUM NO. 1

May 8, 2017

Alterations and additions to the original specifications have been made. No deletions from the original specifications have been made. The contractor shall acknowledge receipt of this Addendum to the original specifications when submitting an offer of services for the work. The content of this addendum shall be made a part of the binding contract.

SPECIFICATIONS SURFACE PREPARATION AND RECOATING

**Louise Nevelson, SUMMER NIGHT TREE, 1978
A Painted Steel Sculpture
Corner of N. Francis Street and Michigan Avenue
Jackson, Michigan**

The following section has been changed, modified or added to, to now read:

2.2.5 Alternative Coatings Products

Any alternative final coating and its manufacturer's recommended epoxy primer may be used so long all the following conditions are met:

(c) Has a uniform gloss in the range of 5-25 GU measured at 60 deg. (matching TNEMEC's product specification for Endura-Shield 175 aliphatic acrylic urethane).

3.4.2 Specified Final Finish Characteristics:

The final finish of the work of this project shall be a black urethane coating with a uniform gloss in the range of 5-25 GU measured at 60 deg. (matching TNEMEC's product specification for Endura-Shield 175 aliphatic acrylic urethane) showing no runs, no sags, no holidays nor similar defects and having no more "orange peel" or bumps than that on the owner's physical reference standard for visual reference inspection of the final finish.

END OF ADDENDUM NO. 1