

March 5, 2019

REQUEST FOR QUOTATION

QUOTES DUE ON OR BEFORE: FRIDAY, MARCH 15, 2019, 9:00 AM

PLEASE DIRECT INQUIRIES REGARDING
THIS QUOTE TO:
phone: 517-788-4020
fax: 517-788-4630
email: sallard@cityofjackson.org

PLEASE RETURN QUOTATION TO:
CITY OF JACKSON PURCHASING DEPARTMENT
161 W MICHIGAN AVENUE, 10TH FLOOR
JACKSON, MI 49201 or
email: sallard@cityofjackson.org

PRICE QUOTE - NOT A PURCHASE REQUEST

The City of Jackson is soliciting price quotes for the following:

Lump sum bid for pull behind brush chipper

We propose to deliver the:

Brand: _____

Model: _____

No later than (delivery date) _____

All freight must be included with your bid.

ALL LINES BELOW MUST BE COMPLETED FOR AWARD CONSIDERATION (Please type or print)

VENDOR NAME: _____

MAILING ADDRESS: _____

CITY, STATE, ZIP: _____

TELEPHONE: _____

EMAIL ADDRESS: _____

SIGNED: _____ PRINT/TYPE

SIGNATURE AND TITLE: _____

WARRANTY AND/OR GUARANTEE: _____

TERMS: _____

SHIPPING MUST BE INCLUDED IN ALL BIDS. PRICES TO REMAIN IN EFFECT FOR ONE YEAR.

The City of Jackson does not discriminate on the basis of race, creed, color, sex, age, religion, national origin, sexual orientation

SPECIFICATIONS FOR PULL BEHIND BRUSH CHIPPER

INTENT:

The intent of these specifications is to set minimum requirements, not to otherwise limit bidding for the supply of one (1) Pull Behind Brush Chipper for the City of Jackson Department of Public Works.

Inasmuch as some designs of equipment vary among different manufacturers, the City may accept request for quotations on equipment with minor deviations to the written specifications. Generally, a minor deviation is defined as a deviation which does not: (A) materially affect the ability of the product to achieve or accomplish a necessary function or task in the manner required by the specifications; (b) compromise the safety of the user thereof; and, produce higher latent or patent costs to the city in any of a multiplicity of ways. The City of Jackson specifically reserves the right to make the judgment concerning what is or is not a minor deviation and to award the bidder (s) whose request for quotation(s) best suit the city's need for the product being purchased.

GENERAL:

Bidders shall submit one (1) complete original of the request for quotation and all data.

All equipment and/or supplies listed in this sealed bid shall be new, unused, first line quality, manufacture's latest model and ready for immediate service.

The manufacturer shall conform to the best practice known to the industry in design, quality of workmanship and material, and be subject to the specifications in full. Should the manufacturer's current published data or specifications exceed the city's specifications, they shall be considered minimum and furnished.

PRICING TERMS:

Price(s) quoted shall be firm for a minimum period of ninety (90) days from request for quotation due date although a firm price period of one (1) year is desirable.

DESCRIPTIVE LITERATURE:

Each bidder is required to furnish with their request for quotation, catalog cuts and/or descriptive literature, properly labeled with the bidder's name, with full illustrations and detailed specifications for each item offered as equal to brand names specified. In addition, **all differences in specifications from the specifications stated herein must be so marked.** Descriptive literature is required to establish, for the purpose of request for quotation evaluation and award, details of the product(s) the bidder proposes to furnish as to design, materials, and method of manufacturer, construction, assembly or operation, as appropriate. **Failure to submit the descriptive literature may be cause for rejection of your quotation.**

SPECIFICATIONS FOR PULL-BEHIND BRUSH CHIPPER

	DESCRIPTION	YES	NO	DEVIATION
MODEL TYPE	2" DISC CHIPPER MINIMUM			
STANDARD EQUIPMENT	Spring loaded slide box type feed system			
	Two horizontal feed wheels (provide largest size option)			
	9" X 64" wide tapered in feed hopper with 30" fold down in feed hopper tray with spring assist.			
	Heavy duty tail light covers			
	Clean out and inspection door on discharge			
	40" diameter X 2" thick (two knife pocket) chipper disc.			
	2 - 1/2" x 4 1/2" x 7 1/4" dual edge knives			
	Hand crank height adjustable discharge			

	Hand crank swivel discharge			
HYDRAULIC	Steel hydraulic tank with magnetic drain plug			
	Lockable filler cap			
	Aluminum sight gauge			
	Hydraulic lift cylinder for top feed wheel			
	Reversing auto feed system			
FUEL TANK	40 Gallon steel fuel tank with magnetic drain plug			
	Lockable filler cap			
	Aluminum sight gauge			
ELECTRICAL	12 volt system with rubber mounted LED tail lights			

	6 prong replaceable coiled power cord & protected heavy duty wiring			
	LED clearance lights with reflectors			
FRAME	3/16" – 2" x 6" rectangular tubing frame min.			
	1/4" – 3" x6" tubular tongue min.			
	5000 pound capacity tongue jack with 15" of travel with foot pad.			
	Two guard posts to protect radiator			
	Weather resistant manual container			
	Lockable tool box			
	Fenders			
	2 1/2" Forged pintle hitch			

AXLE	7,000 pound axle with electric brakes, EZ Lube			
TIRES	8 bolt white spoke rims			
	16" tires, 3400 pound capacity min. per tire			
SAFETY	Safety control bar to control forward/neutral/reverse travel			
	Engine disable plug for hood locking pin, preventing engine from operating without pin in place.			
	Wooden pusher tool with mount on in feed hopper			
	Two last chance safety pull cables			
	Safety DVD			
	All applicable safety decals			
MANUALS	One paper copy of operating manual			

	One water proof operating manual to remain on machine			
	One engine operators manual			
	One complete set of service manuals			
PAINT	Quality paint, standard color			
ENGINE	140 hp min, Tier 3 certification			
	List options for engine manufacturers			
	Lockable battery box			
	1,000 CCA min battery			